



HIGH QUALITY  
**MADE IN GERMANY**  
SINCE 1825



# PRODUCT CATALOG

SINCE 200 YEARS.  
A RELIABLE WORKMATE.

FACHVERBAND  
FLIESEN  
UND NATURSTEIN

im Zentralverband des Deutschen Baugewerbes





**KRONEN  
HANSA**



[WWW.KRONEN-HANSA-WERK.COM](http://WWW.KRONEN-HANSA-WERK.COM)



# COMPETENCE IN TOOLS

---

*Since 1825, Kronen-Hansa has been synonymous for high-quality hand tools, today supplied to more than 40 countries.*

Adapted to technical developments and changes in the market, Kronen-Hansa-Werk GmbH & Co. KG has been manufacturing PUR foam products, technical injection moulding products and moulds for the injection moulding sector for many years. These are supplied to well-known customers in the medical technology, automotive industry and heating technology,

Our service programme includes everything from product development, mould making and manufacturing. Through dialogue with customers and trade partners we achieve highest quality.

Our offer also includes processing steps such as printing or the assembly of components.

We control and document the entire process chain with up-to-date software systems and are certified according to DIN EN ISO 9001:2015. Ecological aspects are always taken into account when selecting materials and manufacturing processes.



# FROM THE **IDEA** TO THE **MARKET LAUNCH**

---



## Development

According to your specifications, we develop practical and cost-effective solutions. We guarantee a continuous improvement process during the development and design phase of your products.



## Mold Design

We can handle all common 3D Data and you will get a proposal feasibility study for improvements regarding design and cost reductions. Laser generated mold inserts tempered with special units up to variotherm units is our standard. Our mold document management will guarantee a complete Mold history.



## Mold Shop

With using state-of-the-art technologies, we achieve the highest precision in our own Mold shop and with our asian partners as well. We produce molds to customer all over the world, including after sales service. Our asian Moldmaker is supporting us to each customer request.



## Part Production

In our injection molding area we can handle all thermoplastic and duroplastic resins from 1 g up to 5000 g part weight.

## SERVICES WE OFFER

- Product design
- Tool design
- Complete Mould flow analyses
- Toolmaking Germany
- Toolmaking Asia
- Injection moulding 1K/2K
- Processing of thermo- and duroplastics
- Processing Polyurethane
- Assembly of modules
- Pad printing process
- Automotive Quality management
- Project management worldwide

# OUR HISTORY

- 
- 1825** The Krogmann brothers found a nib factory in Lohne, exporting to European countries
  - 1861** Brushes are manufactured for the first time
  - 1960** Paint rollers are produced for the first time, Kronen brushes are marketed world-wide
  - 1969** Founding of the Hansa-Form
  - 1974** A new large warehouse was built
  - 1989** Merger of "Kronen-Pinsel" and "Hansaform" to Kronen-Hansa-Werk GmbH & Co. KG
  - 2006** Transfer of the painting tool business to Ciret GmbH
  - 2011** Transfer of the range of knee pads and tiling tools from KWM and Kaul to KHW
  - 2018** Expansion of production (part production & construction tools) and storage areas
  - 2021/  
2022** Enlargement of the machine park
  - 2025** 200 years Kronen-Hansa

# INDEX

---

<b>FLOATS</b>	<b>7</b>
PU-floats .....	7
TSG-floats .....	8
Wooden floats .....	9
Floats .....	10
Topline floats .....	14
Design-Line floats .....	15
Supports .....	16
System VELCRO .....	18
Tools for Epoxy .....	20
<b>SMOOTHING TROWELS</b>	<b>23</b>
Trowels .....	23
Smoothing trowels .....	24
<b>KNEE PROTECTORS</b>	<b>26</b>
Knee Protectors .....	26
Kneeling mats .....	29
<b>TILE SPACERS AND JOINTING SPATULAS</b>	<b>30</b>
Tile wedges and tile spacers .....	30
Jointing spatulas .....	32
<b>DOCDUSTFREE</b>	<b>36</b>
DocDustFree .....	36
<b>LEVELING SYSTEM</b>	<b>38</b>
Leveling system .....	38
Leveling system Dynamic .....	40
Leveling system Classic .....	42
<b>TILE LAYERS WASHING SETS</b>	<b>44</b>
Tile layers washing sets - Waschboy .....	44
Tile layers washing sets - 10 Liter .....	46
Tile layers washing sets - Fliesenprofi .....	48
Tile layers washing sets - Speedy .....	54
Tile layers washing sets - Vario .....	56
<b>SPONGES &amp; OTHER TOOLS</b>	<b>58</b>
Sponges .....	58
Grinding tools .....	60
Other tools .....	62
<b>DOOR FRAME CLAMP</b>	<b>65</b>
Door frame clamp .....	65
<b>BRUSHES &amp; PAINT ROLLER</b>	<b>66</b>
Brushes .....	66
Paint rollers .....	67
Cutter & cutter blades .....	68

## Features:

Particularly light and stable, Weather and temperature resistant, No warping due to moisture, 15-20mm thick, Particularly suitable for rubbing down and smoothing lime-cement plaster, Dirt-repellent.

Unit	Dimension cm	Order no.
50	8 x 26	20 08 26



**REIBFIX-KRONE  
SHAPED FLOAT**

Unit	Dimension cm	Order no.
80	12 x 19	20 12 19
60	12 x 24	20 12 24
50	11 x 28	20 11 28
40	14 x 23	20 14 23
40	14 x 28	20 14 28
30	15 x 35	20 15 35
30	18 x 32	20 18 32
25	20 x 36	20 20 36



**REIBFIX-KRONE  
FLOAT**

Holland		
40	34 x 12 x 14	20 34 12



**REIBFIX-KRONE  
LAYING-ON-FLOAT**

Unit	Dimension cm	Order no.
15	22 x 42	20 22 42
10	24 x 48	20 24 48
10	28 x 50	20 28 50



**REIBFIX-KRONE  
DARBY FLOAT**

Unit	Dimension cm	Order no.
40	10 x 40	20 10 40
3	12 x 80	20 00 80
3	12 x 100	20 01 00
3	12 x 120	20 01 20



# TSG-FLOATS

## Features:

Lightweight and pleasant to grip, suitable for plasters and screeds, particularly firm top surface promotes long service life, low abrasion, dirt-repellent.

### REIBFIX-TRUMPF SHAPED FLOAT



Unit	Dimension cm	Thickness mm	Order No.
100	8 x 26	7	22 08 26

### REIBFIX-TRUMPF FLOAT



Unit	Dimension cm	Thickness mm	Order No.
50	14 x 28	3	22 14 28

### REIBFIX-TRUMPF FLOAT



Unit	Dimension cm	Thickness mm	Order No.
120	11 x 23	6	22 11 23
100	14 x 23	6	22 14 23
100	13 x 27	6	22 13 27
40	18 x 32	6	22 18 32

### REIBFIX-TRUMPF FLOAT



Unit	Dimension cm	Thickness mm	Order No.
30	18 x 32	9	23 18 32

### REIBFIX-TRUMPF LAYING-ON-FLOAT



Unit	Dimension cm	Thickness mm	Order No.
15	22 x 42	11	22 22 42
10	24 x 48	11	22 24 48



# WOODEN FLOATS

Unit	Dimension cm	Order No.
40	14 x 28	25 14 28
30	18 x 32	25 18 32
25	20 x 36	25 20 36



## REIBFIX-HOLZ WOODEN FLOAT

Multi-layered wooden boards with ergonomically shaped plastic handle, seven times glued abachi-wood, lime resistant, low abrasion

Unit	Dimension cm	Order No.
10	24 x 48	25 24 48



## REIBFIX-HOLZ LAY- ING-ON WOODEN FLOAT

Multi-layered wooden boards with ergonomically shaped plastic handle, seven times glued abachi-wood, lime resistant, low abrasion



# FLOATS

## SHAPED FLOAT, RUBBER SPONGE

Shaped float with rubber sponge, red



Unit	Dimension cm	Support Thickness mm	Order No.
<b>rough</b>			
30	8 x 26	10	41 08 26

## REIBFIX RUBBER SPONGE FLOAT

Complete with sponge rubber support, red



Unit	Dimension cm	Support Thickness mm	Order No.
<b>fine</b>			
50	14 x 28	10	41 14 282
<b>rough</b>			
50	12 x 24	10	41 12 24
50	14 x 28	10	41 14 28
<b>fine</b>			
50	12 x 24	20	42 12 242
50	14 x 28	20	42 14 282
<b>rough</b>			
50	12 x 24	20	42 12 24
50	14 x 28	20	42 14 28
<b>extra rough</b>			
50	12 x 24	20	42 12 243
50	14 x 28	20	42 14 283

## REIBFIX FELT FLOAT

Complete with hard felt support



Unit	Dimension cm	Support Thickness mm	Order No.
50	12 x 24	10	40 12 24
50	14 x 28	10	40 14 28

# FLOATS

Unit	Dimension cm	Support Thickness mm	Order No.
30	8 x 26	8	44 08 26



## SHAPED FLOAT, EXPANDED RUBBER

Shaped float with expanded rubber

Unit	Dimension cm	Support Thickness mm	Order No.
------	--------------	----------------------	-----------

### black

50	12 x 24	10	44 12 24
50	14 x 28	10	44 14 28

### green

36	14 x 28	10	45 14 28
----	---------	----	----------

### black - natural rubber

50	14 x 28	10	44 14 28 O
----	---------	----	------------



## REIBFIX EXPANDED RUBBER FLOAT

Black: standard version

Green: strong version

Natural rubber (black): extremely robust and durable



Unit	Dimension cm	Support Thickness mm	Order No.
50	14 x 28	20	41 15 28



## REIBFIX LATEX FLOAT

For rubbing off silicate-containing plasters

Unit	Dimension cm	Support Thickness mm	Order No.
------	--------------	----------------------	-----------

50	14 x 28	20	43 14 28
30	14 x 28	35	47 14 28



## TILE WASH-BOARD

With special foam material

# FLOATS

## TILE WASH-BOARD HYDRO SPONGE

With "Hydro" sponge support, robust material, high absorption of liquids, resistant to alkaline solutions, long life, reticulated, thus no more washing in necessary, different sizes

Unit	Dimension cm	Support Thickness mm	Order No.
50	14 x 28	10	48 14 28 10
40	14 x 28	20	48 14 288
40	14 x 28	30	48 14 28
10	20 x 34	30	48 18 32
<b>offset handle</b>			
40	14 x 31	30	48 14 31



48 14 28 10



48 14 28



48 14 31

## TILE WASH-BOARD „HYDRO SLOTTED“

With "Hydro" sponge support, high absorption of liquids, high dirt absorption, 8mm deep cut, 32 fields, resistant to alkaline solutions long life, reticulated, thus no more washing in necessary, different sizes

Unit	Dimension cm	Support Thickness mm	Order No.
40	14 x 28	30	49 14 28
10	20 x 34	30	49 18 32
<b>offset handle</b>			
40	14 x 31	30	49 14 31



49 14 28



49 14 31

# FLOATS

## TILE WASH-FLOAT „EPOXY“

With viscose-sponge, very absorbent  
For washing/cleaning of floor tiles after  
granting with epoxy grouting, slotted for  
increased dirt pickup



## TILE WASH-FLOAT „DIAMOND PATTERN“

With “Hydro” sponge support, with di-  
amond pattern, extremely high dirt ab-  
sorption, closed edge prevents streaking  
during washing



## TILE WASH-FLOATT „RUSTICA“


With Hydro sponge support, nabby, cle-  
ans faster and more effective, for all tiled  
floor areas, particularly suitable for rough  
and profiled floor tiles (for example: ter-  
racotta)



Unit	Dimension cm	Support Thickness mm	Order No.
<b>unslotted</b>			
40	14 x 28	30	48 01 428
<b>8mm deep cut, 32 fields, slotted</b>			
40	14 x 28	30	49 01 428

Unit	Dimension cm	Support Thickness mm	Order No.
40	14 x 28	30	49 51 428

Unit	Dimension cm	Support Thickness mm	Order No.
40	14 x 28	35	49 21 428



# TOPLINE FLOATS

**FLOAT TOPLINE  
EXPANDED RUBBER**



Unit	Dimension cm	Support Thickness mm	Order No.
50	14 x 28	10	74 14 28

**FLOAT TOPLINE  
HYDRO RUBBER**



Unit	Dimension cm	Support Thickness mm	Order No.
40	14 x 28	30	78 14 28

**8mm deep cut, 32 fields, slotted**

40	14 x 28	30	79 14 28
----	---------	----	----------

**FLOAT TOPLINE WITH  
RUBBERSPONGE**



Unit	Dimension cm	Support Thickness mm	Order No.
50	14 x 28	20	72 14 28

**FLOAT TOPLINE  
WITH FELT**



Unit	Dimension cm	Support Thickness mm	Order No.
50	14 x 28	10	70 14 28

# DESIGN-LINE FLOATS

## DESIGN-LINE FLOAT

Without support



## DESIGN-LINE GROUTING FLOAT

With cellular rubber support

Natural rubber (black):

standard version

Rubber (green):

strong version



## DESIGN-LINE WASH-BOARD HYDRO



## DESIGN-LINE WASH-BOARD HYDRO SLOTTED

## DESIGN-LINE SPONGE FLOAT



fine



rough



Unit	Dimension cm	Thickness mm	Order no.
50	11 x 23	3	2-0040-00
45	13 x 27	3	2-0042-00
50	13 x 23	5	2-0043-00
45	13 x 27	5	2-0035-00
45	11 x 29	5	1-0041-00
35	16 x 32	5	2-0056-00

Unit	Dimension cm	Support Thickness mm	Order no.
<b>black</b>			
45	12 x 24	8	2-0033-00
35	14 x 28	8	2-7003-00
<b>green</b>			
35	14 x 28	8	2-7001-00
35	12 x 30	8	1-7000-00
26	12 x 36	8	2-7004-00



Unit	Dimension cm	Support Thickness mm	Order no.
<b>unslotted</b>			
36	14 x 28	10	2-5010-00
<b>unslotted</b>			
21	14 x 28	30	2-5012-00
<b>8mm deep cut, 32 fields, slotted</b>			
21	14 x 28	30	2-5011-00
<b>8mm deep cut, 32 fields, slotted</b>			
19	15 x 29	35	2-5000-00
12	16 x 34	35	2-5025-00
13	18 x 34	35	2-5001-00

Unit	Dimension cm	Support Thickness mm	Order no.
<b>rough</b>			
30	12 x 24	18	2-0050-00
30	14 x 28	18	2-0052-00
<b>fine</b>			
35	12 x 24	18	2-0053-00
30	14 x 28	18	2-0055-00

# SUPPORTS

## HYDRO SPONGE SUPPORT

Robust material, high absorption of liquids, resistant to alkaline solutions, long life, reticulated, thus no more washing in necessary, different sizes



Unit	Dimension cm	Thickness mm	Order No.
50	14 x 28	30	38 14 28
50	14 x 31	30	38 14 31
50	20 x 34	30	38 20 36
<b>8mm deep cut, 32 fields, slotted</b>			
50	14 x 28	30	39 14 28
50	14 x 31	30	39 14 31
50	20 x 34	30	39 20 34
40	15 x 29	35	1-9000-00
28	18 x 34	35	1-9013-00

## HYDRO SPONGE SUPPORT "RAUTE"

With diamond pattern, high dirt absorption, closed edge prevents streaking during washing



Unit	Dimension cm	Thickness mm	Order No.
50	14 x 28	30	39 51 428

## HYDRO SPONGE SUPPORT „RUSTICA“

Particularly suitable for substrates



Unit	Dimension cm	Thickness mm	Order No.
50	14 x 28	35	39 21 428

## VISCOSE SUPPORT „EPOXID“

Very absorbent, made of highly resistant material, solventresistant, especially for washing epoxy grout.



Unit	Dimension cm	Thickness mm	Order No.
50	14 x 28	30	38 01 428
<b>8mm deep cut, 32 fields, slotted</b>			
50	14 x 28	30	39 01 4281



# SUPPORTS

## EXPANDED RUBBER SUPPORT

Unit	Dimension cm	Thickness mm	Order no.
<b>black (standard version)</b>			
50	12 x 24	10	34 12 241
50	14 x 28	10	34 14 281
<b>green (strong version)</b>			
50	14 x 28	10	35 14 28
40	12 x 30	10	1-7008-00
60	12 x 36	10	1-7005-00



## RUBBER SPONGE SUPPORT

Dimension cm	Thickness mm	Order no.
<b>rough</b>		
50	12 x 24	31 12 24
50	14 x 28	31 14 28
<b>fine</b>		
50	12 x 24	32 12 242
50	14 x 28	32 14 282
<b>rough</b>		
50	12 x 24	32 12 24
50	14 x 28	32 14 28
<b>extra rough</b>		
50	12 x 24	32 12 243
50	14 x 28	32 14 283



## SPECIAL FOAM SUPPORT

Unit	Dimension cm	Thickness mm	Order no.
50	14 x 28	10	33 14 28



## RUBBER LATEX SUPPORT

Unit	Dimension cm	Thickness mm	Order no.
50	14 x 28	20	36 14 28



## FELT SUPPORT

Unit	Dimension cm	Thickness mm	Order no.
50	12 x 24	10	30 12 24
50	14 x 28	10	30 14 28



# SYSTEM VELCRO

## PU- FLOAT

With velcro



Unit	Dimension cm	Order No.
50	13 x 27	20 21 327

## TSG-FLOAT

With velcro



Unit	Dimension cm	Order No.
100	13 x 27	22 11 327

## DESIGN LINE PLASTIC FLOAT

With velcro



Unit	Dimension cm	Thickness mm	Order No.
45	13 x 27	5	2-5009-00

# SYSTEM VELCRO

Unit	Dimension cm	Thickness mm	Order No.
<b>Black</b>			
60	14 x 28	8	34 11 428



## EXPANDED RUBBER SUPPORT WITH VELOUR

With velcro

Unit	Dimension cm	Thickness mm	Order No.
50	14 x 28	30	38 11 428
<b>8mm deep cuts, 32 fields, slotted</b>			
36	15 x 29	30	1-9017-00
25	18 x 34	30	1-9003-00
50	14 x 28	30	39 11 428



## HYDRO SPONGE SUPPORT WITH VELOUR

With velcro

Unit	Dimension cm	Thickness mm	Order No.
<b>8mm deep cuts, 32 fields, slotted</b>			
15	14 x 28	30	1-9054-00



## VISCOSE SPONGE SLOTTED WITH VELOUR

With velcro

Unit	Dimension cm	Thickness mm	Order No.
<b>fine</b>			
30	14 x 28	20	1-9021-00
<b>rough</b>			
50	14 x 28	20	32 11 428



## RUBBER SPONGE SUPPORT WITH VELOUR

With velcro

Unit	Dimension cm	Thickness mm	Order No.
30	14 x 28	18	1-9023-00



## LATEX SPONGE SUPPORT WITH VELOUR

With velcro

# TOOLS FOR EPOXY

## TILING HAWK „SHORE-A85“

With a highly flexible, acid-resistant special coating, for epoxy grout, hard version



Unit	Dimension cm	Order No.
25	10 x 25	50 10 26

## TILING HAWK „SHORE-A60“

With a highly flexible, acid-resistant special coating, for epoxy grout, soft version



Unit	Dimension cm	Order No.
10	10 x 25	50 10 28

## EPOXY FLOAT WITH VISCOSE PAD

With viscose sponge. For washing/cleaning of floor tiles after granting with epoxy grouting.



Unit	Dimension cm	Support Thickness mm	Order No.
40	14 x 28	30	48 01 428
<b>8mm deep cuts, 32 fields, slotted</b>			
40	14 x 28	30	49 01 428

## VISCOSE SPONGE FLOAT „DESIGN-LINE“, SLOTTED

With viscose sponge, slotted



Unit	Dimension cm	Support Thickness mm	Order No.
<b>8mm deep cuts, 32 fields, slotted</b>			
19	14 x 28	30	2-2010-00

## POLYESTER FOAM FLOAT „DESIGN-LINE“, COARSE PORES



Unit	Dimension cm	Support Thickness mm	Order No.
<b>8mm deep cuts, 32 fields, slotted</b>			
19	14 x 28	30	2-2002-00

# TOOLS FOR EPOXY

Unit	Dimension cm	Order No.
50	11 x 23	21 11 23



## PAD HAWK

With velcro

Unit	Dimension cm	Thickness mm	Order No.
<b>fine, white</b>			
50	12 x 24	25	31 01 224-50
<b>medium, green</b>			
50	12 x 24	25	31 11 224-50
<b>rough, black</b>			
50	12 x 24	25	31 21 224-50
<b>extra rough, brown</b>			
50	12 x 24	25	31 41 224-50



## FLEECE FOR PAD HAWK

Special fleece support for removing residues



Unit	Dimension cm	Order No.
20	13 x 23	2-2000-00



## PLASTIC FLOAT DESIGN-LINE

With velcro

Unit	Dimension cm	Thickness mm	Order No.
<b>fine, white</b>			
20	14 x 24	25	1-2005-00
<b>medium, brown</b>			
20	14 x 24	25	1-2004-00
<b>rough, black</b>			
20	14 x 24	25	1-2009-00



## FLEECE FOR PAD HAWK

Special fleece for removing of epoxy residues



# TOOLS FOR EPOXY

## PAD HAWK WITH SUPPORT

With fleece support in banderole



Unit	Dimension cm	Support Thickness mm	Order No.
<b>with white support, fine</b>			
30	12 x 24	25	50 50 11
<b>with green support, medium</b>			
10	12 x 24	25	50 50 12
<b>with black support, rough</b>			
10	12 x 24	25	50 50 13
<b>with brown support, extra rough</b>			
10	12 x 24	25	50 50 16

## PAD HAWK WITH SUPPORT

With 3 different fleece supports in banderole



Unit	Dimension cm	Support Thickness mm	Order No.
<b>incl. 3 supports (fine, medium &amp; rough)</b>			
30	12 x 24	25	50 50 05



Unit	Dimension cm	Order No.
5	10	68 01 00



## STUCCOISTS' SPATULA

Stainless steel, handle made of TPE-material

Unit	Dimension cm	Order No.
10	13 x 28	63 00 10



## SMOOTHING TROWEL „TOPLINE“

Handle made of TPE-material, professional handling, ensures stress-free working, stainless-steel

Unit	Dimension cm	Order No.
------	--------------	-----------

### Toothing 4 x 4 mm

10	13 x 28	63 00 43
----	---------	----------

### Toothing 6 x 6 mm

10	13 x 28	63 00 40
----	---------	----------

### Toothing 8 x 8 mm

10	13 x 28	63 00 41
----	---------	----------

### Toothing 10 x 10 mm

10	13 x 28	63 00 42
----	---------	----------

### Toothing 12 x 12 mm

10	13 x 28	63 00 45
----	---------	----------


### Toothing 15 x 15 mm

10	13 x 28	63 00 49
----	---------	----------



## SMOOTHING TROWEL „TOPLINE“

TOPLINE stainless-steel, application trowel handle made of TPE-material, professional handling, ensures stress-free working



# SMOOTHING TROWELS

## SMOOTHING TROWEL „TOPLINE“

Handle made of easy-to-grip TPE material, comfortable, professional handling, ensures stress-free working



Unit	Dimension cm	Thickness mm	Order No.
25	14 x 28	2	63 00 20
25	14 x 28	3	63 00 30

## PLASTIC SMOOTHING TROWEL

Full plastic handle



Unit	Dimension cm	Thickness mm	Order No.
40	14 x 28	2	61 14 28
40	14 x 28	3	60 14 28

## PLASTIC SMOOTHING TROWEL

Closed hollow handle



Unit	Dimension cm	Thickness mm	Order No.
40	14 x 28	2	64 01 428
40	14 x 28	3	65 01 428

## SMOOTHING TROWEL „STANDARD“

Hollow handle



Unit	Dimension cm	Thickness mm	Order No.
40	14 x 28	2	64 14 28
40	14 x 28	3	65 14 28

## PLASTIC TROWEL PVC

Solvent resistant



Unit	Dimension cm	Thickness mm	Order No.
40	14 x 28	2	32 02 00
40	14 x 28	3	32 03 00



# SMOOTHING TROWELS

Unit	Dimension cm	Thickness mm	Order No.
40	14 x 28	3	32 05 00



## SMOOTHING TROWEL PVC, POINTED

Pointed, solvent resistant

Unit	Dimension cm	Thickness mm	Order No.
100	9 x 16	2	32 08 00



## ABS-CORNER TROWEL POINTED

Pointed

Unit	Dimension cm	Thickness mm	Order No.
40	14 x 28	2	66 14 28
40	14 x 28	3	67 14 28



## SMOOTHING TROWEL PLASTIC

With wooden handle

Unit	Dimension cm	Thickness mm	Order No.
40	18 x 24	3	69 14 28



## PLASTIC SMOOTHING TROWEL

Pointed, wooden handle,

Unit	Dimension cm	Thickness mm	Order no.
25	14 x 28	2	63 00 02
25	14 x 28	3	63 00 03



## SMOOTHING TROWEL RONDO TOPLINE

Two-components-handle, with angle

# KNEE PROTECTORS

*Our knee protectors are certified according to DIN EN 14404, conform to PPE.*

## LEVEL 0:

Knee protection, which is suitable for a level surface and does not provide protection against puncture.

## LEVEL 1:

Knee protection suitable for a level or uneven surface and providing protection against puncture with a force of at least  $(100 \pm 5)$  N.

## LEVEL 2:

Knee protection suitable for a level or uneven surface in difficult conditions and providing protection against puncture with a force of at least  $(250 \pm 10)$  N.



### KNEE PROTECTOR ERGO, ORANGE

including Ergo-Fix strips in black



Unit	Size	Level	Order No.
20 Pair	S - M	2	K 37 11 00

### KNEE PROTECTOR ERGO-MAXI, ORANGE

including Ergo-Fix strips in black



Unit	Size	Level	Order No.
12 Pair	S - XL	2	K 37 22 00

### KNEE PROTECTOR ERGO 4-FOLDS, ORANGE

including Ergo-Fix strips in black



Unit	Size	Level	Order No.
12 Pair	S - XL	2	K 38 22 00

# KNEE PROTECTORS

Unit	Size	Level	Order No.
25 Pair	S	0	K 50 70 04



## KNEE PROTECTOR „KNIE-FIX-DELUXE“, YELLOW

Square model, material: polyurethane yellow, elastic strap, packed in pairs. No puncture resistance. For smooth and even areas.

Unit	Size	Level	Order No.
20 Pair	S - M	1	K 50 70 02



## KNEE PROTECTOR „KNIE-FIX-SUPER“, YELLOW

Square model, material: polyurethane yellow, elastic strap, packed in pairs. Puncture resistance to 100 N, which correspond to the performance.



Unit	Size	Level	Order No.
20 Pair	S - M	2	K 38 10 00



## KNEE PROTECTORS STANDARD, SQUARE MODEL, BLACK

Standard, black, square model, certified according to DIN EN 14404, with Ergo-Fix (Ergo-Fix including strap) and straps in turquoise.

Unit	Size	Level	Order No.
20 Pair	S	0	K 50 80 10



## KNEE PROTECTORS ECO

Standard, black, small model, certified according to DIN EN 14404, packed in pairs.

Unit	Strap Length mm	Strap Width cm	Order No.
50	40	55	Z 37 30 04



## ERGO-FIX REPLACEMENT STRAPS AND KNOBS

Ergo-Fix including knob and strap in black

Unit	Strap Length mm	Strap Width cm	Order No.
50	40	55	Z 37 01 04



## STRAP, SHORT

black

# KNEE PROTECTORS

## KNEE PROTECTORS STANDARD SMALL BLACK

Standard, black, extra wide strap (50 mm) in turquoise Level 2



Unit	Size	Level	Order No.
20 Pair	S	2	K 38 00 00

## KNEE PROTECTORS SMALL MODEL, BLACK

Standard, black, extra wide strap (50 mm) in turquoise, Level 0



Unit	Size	Level	Order No.
20 Pair	S	0	K 38 00 00/0

## STRAPS TURQUOISES 2 PIECES WITH 4 HOLDER

Straps replacements: 4 attachments including 2 straps (50 mm) in turquoise



Unit	Strap Length mm	Strap Width cm	Order No.
100 Sets	50	32	Z 38 01 24

## KNEE PROTECTOR

Professional knee protector, provides protection of joints and ligaments, prevents health problems. Performance level 0



Unit	Dimension cm	Level	Order No.
10 Pair	13 x 22 x 12	0	36 92 00

## KNEE PROTECTORS WITH HINGE

With 2 moveable hardshells adjusted to your knee. Material: polyurethane, soft padding inside, from cellular rubber, packed in pairs. Puncture resistance to 250 N, which correspond to the performance. Level 2



Unit	Level	Order No.
10 Pair	2	K 50 85 07



# KNEELING MATS

Unit	Dimension cm	Order No.
10	17,5 x 33,5	36 72 00



## KNEELING MAT ERGO-FORM ORANGE

Kneeling mat Ergo-Form, orange with ergonomic kneeling area and carry handle

Unit	Dimension cm	Order No.
10	24 x 44	36 71 00



## KNEELING MAT ERGO FORM, ORANGE

Kneeling mat Ergo-Soft-Mat, orange

Unit	Dimension cm	Order No.
15	42 x 25,5	36 90 00



## KNEELING MAT ERGO PAD

Combinable with the knee roller, including carrying handle and bowl for small part, ergonomic design

Unit	Dimension cm	Order No.
1	61 x 25,5 x 7,5	36 91 00



## KNEE ROLLER

Perfect for working close to the ground, allows mobile working, wheels can be swivelled 360 degrees, low weight, inclusive carrying handle and exchangeable cushion. Size of the cushion 420 x 255mm.

# TILE WEDGES AND TILE SPACERS

## FLOOR WEDGES BLUE

blunt wedge, 30 mm long, suitable for 5 - 11 mm wide joints..



Unit box	Unit bag	Thickness mm	Order No.
50 bags	250 pcs	5-11	50 60 01

## TILE WEDGES

pointed wedge, 30 mm long, suitable for joints 0 - 5 mm wide.



Unit box	Unit bag	Thickness mm	Order No.
100 bags	250 pcs	0-5	50 60 02

## TILE SPACERS

With long legs for better positioning of tiles



Unit box	Unit bag	Thickness mm	Leg length mm	Order No.
150 bags.	250 pcs	1,0	25	50 60 15
130 bags	250 pcs	1,5	28	50 60 16
100 bags.	250 pcs	2,0	28	50 60 04
170 bags	250 pcs	2,5	18	50 60 03
100 bags.	250 pcs	3,0	28	50 60 05
100 bags.	250 pcs	4,0	28	50 60 06
80 bags.	200 pcs	5,0	28	50 60 07
80 bags.	200 pcs	8,0	28	50 60 08

## TILE SPACERS FOR FLOOR PLATE

Can also be used as a T-piece due to predetermined breaking point, height 1.5 cm, length 6 cm, especially suitable for Terrace tiles



Unit box	Unit bag	Thickness mm	Order No.
<b>Standard</b>			
12 bags	100 pcs	3,0	50 60 60
12 bags	100 pcs	4,0	50 60 62
12 bags	100 pcs	5,0	50 60 64
<b>with buoyancy control</b>			
12 bags	100 pcs	3,0	50 60 61

# TILE WEDGES AND TILE SPACERS

Unit box	Unit bag	Thickness mm	Order No.
50 bags	100 pcs	1-10	50 60 20



## SICKLE WEDGES FOR TILING

Suitable for joints with width from 1 to 10 mm, easy insertion, you can define the desired width by rotation of the wedges.

MORE ON **YOUTUBE**



Unit bag		Order No.
1 Pair	with rubber cord	50 62 00



## TILING CORD

Made of plastic, mounted with rubber cord

- For exact alignment of the tiles in the horizontal, vertical and diagonal.
- With string depot and as pair for storage can be plugged together.
- Easily removed from adhesive and paint residues to clean.

Unit	Order No.
8	50 60 55



## TILE LIFTER

Useful tool to pick up freshly laid tiles

MORE ON **YOUTUBE**



Unit	Unit bag	Order No.
25 bags	50 pcs	50 60 50



## UNIKREUZ

5 in 1 tile cross, makes tiling easier for you

For joint width 0,5mm / 1mm / 1,5mm / 2mm / 3mm

# JOINTING SPATULAS

## “FUGENMEISTER” SET OF 3 ANGLED SMOOTHING SPATULAS

Practice-oriented templates for professional smoothing of pasty sealant like silicon, acrylic and polyurethane  
 45°-angle with 5/6mm edge  
 45°-angle with 8/10mm edge  
 Template for 45°- and 90°-angles  
 With instruction for use..



Unit	Order No.
sales counter display box	
24	50 12 70

## “FUGENMEISTER” SET OF 3 RADIUS SMOOTHING SPATULAS

Practice-oriented templates for professional smoothing of pasty sealant like silicon, acrylic and polyurethane.  
 Radius 4/6 mm  
 Radius 8/10 mm  
 Radius 12/14 mm  
 With instruction for use.



Unit	Order No.
sales counter display box	
24	50 12 60

## SILICOMPLETE SET OF 4

Acid resistant, highly elastic, form and edge-stable, abrasion-resistant, easy jointing of commercially available, permanently elastic Sealants such as acrylates, silicones, Polyurethanes, hybrids, MS polymers. Set includes:

- Radius shapes in 4, 6, 8 & 10mm
- Angle shapes in 5, 6, 8, 9, 10, 11 & 12mm
- 6mm radius for corners
- Rectangular shape for removing Joint sealant
- including user manual & tips for the user




Unit	Order No.
18	50 16 00

## SILISTIX

Set of 4: 4mm, 6mm, 8mm, 10mm  
 Made of high quality plastic  
 Acid and alkali resistant



Unit	Order No.
10	50 17 00





# JOINTING SPATULAS

Unit	Order No.
<b>sales counter display box</b>	
45	1-1020-00
<b>on hanging card</b>	
25	1-1023-00



**SILICON SMOOTHING SPATULA WITH SHOVEL**

Unit	Order No.
12	50 12 90




**SILICON REMOVER "SILIEX"**

The "SiliEx" silicon remover is a tool for easy and efficient removing of flexible sealants like silicon, acrylic etc. with an angle of 90°. Set on a pasteboard-card with instruction for use in a sales counter display box.

Unit	Order No.
7	50 12 80
<b>REPLACEMENT BLADES, 6 pieces on a paste board-card</b>	
20	50 12 81




**SILICON REMOVER "FUGENMEISTER DELTA"**

Removes old silicon grouts quickly and cleanly. TÜV (German technical supervisory association) an GS-checked. Made in Germany. Set on a pasteboard-card with instruction for use in a sales counter display box.

# JOINTING SPATULAS

## PROFESSIONAL JOINT "FUGENFIX"

For the safe, easy removal of silicon or acrylic joints, suitable for all types of joint (10 mm and 15 mm width), total length 15 cm, 5 pieces on a display card



Unit	Order No.
18	50 13 50

## UNIVERSAL JOINT MINI

For all silicon joints in all areas such as building industry, metal and automobile industries, acid-resistant special plastic, in display carton



Unit	Dimension cm	Order No.
66	8,5 x 4	50 18 00



## UNIVERSAL JOINT "GLÄTTFIX-EXPERT"

For all silicon joints in all areas such as building industry, metal and automobile industries, acid-resistant special plastic, in display carton. Special edge for walls and hollow joints



Unit	Dimension cm	Order No.
50	8,5 x 4	50 13 10

## SMOOTHING SPATULA "FENSTERFIX"

Highly-flexible, acid-resistant special synthetic material, maintains temperature, retains flexibility even at low temperatures, various desings of edges and corners, suitable for windows or similar areas, in display carton



Unit	Dimension cm	Order No.
50	9 x 8	50 11 50

# JOINTING SPATULAS

Unit	Order No.
<b>on hanging card</b>	
50	50 12 001
<b>sales counter display box</b>	
50	50 12 00



## SMOOTHING SPATULA "SILIFIX"

Manufactured from highly-flexible, acid-resistant special synthetic material for speedy clean smoothing off the silicon and acrylic grout, DIY size 14 x 6 cm

Unit	Order No.
<b>on hanging card</b>	
24	50 11 001
24	50 11 00



## SMOOTHING SPATULA "UNIFIX"

Highly-flexible, acid-resistant special synthetic material, maintains temperature, retains flexibility even at low temperatures, has a wide range of applications thanks to its' triangular base with convex crown, with both arched and straight edge, suitable for all grouting materials (silicon, acrylic, etc)

Unit	Order No.
50	50 12 10



## SMOOTHING SPATULAS "SILISSET" SET ON PASTE BOARD-CARD


Practice-oriented templates for fast and clean smoothing of silicon and acrylic grout.

1 smoothing spatula for hollow fillet joints

- radius 4 mm
- radius 8 mm
- radius 10 mm

1 smoothing spatula for angular joints

- angle 5 mm
- angle 9 mm
- angle 11 mm





## DOC DUST FREE

*The development team at Kronen-Hansa is attracting peoples interest with an innovative product that will bring advantages for every tiling company: The DocDustFree. It is literally a "Doctor-dust-free" in the truest sense of the word, which takes the horror out of dust when cutting tiles.*

The handy device is a cutting table for placing tiles and slabs in order to cut the ceramic as dust-free as possible with an angle grinder. This is achieved in combination with a hoover that is to be connected. The support body with four stable feet at the corners ensures a firm stand.

Support arms attached to the side of the base body can be folded out with a length of 41 cm and spread up to 225 degrees. This results in a support tableau 115 cm in one direction and 134 cm in the other, a total of over one square metre.

If the support arms are no longer needed, they can simply be folded back in. The elements lock automatically and, when folded, are once again one unit with the base body for safe transport.

In practice, it quickly becomes clear to every user how effective this type of dust reduction is. In order to be able to use the most common hoovers, a reduction adapter is included in the accessories. The conical shape of the adapter hoover hoses with diameters between 25 and 42 mm diameter are safely connected.

MEHR AUF **YOUTUBE**



# DOCDUSTFREE

## DOCDUSTFREE

Dust box for working on tiles, with foldable support arms, incl. adapter for vacuum cleaner hoses of different diameter


Unit	Order No.
------	-----------

1	50 90 00
---	----------



Unit	Order No.
------	-----------

1	50 90 20
---	----------



## COVER SET 1

2x Standard cover


Unit	Order No.
------	-----------

1	50 90 25
---	----------



## COVER SET 2

1x cover with open side &  
1x cover closed





# THE LEVELING SYSTEM



MORE ON  
YOUTUBE


Practical system for quick, safe and even laying of wall and floor tiles.

Starter sets are offered as well as the various individual parts in bags for additional purchase.



## FEATURES - DYNAMIC

- Flexible handling: the system offers the advantages of both applications: The use of wedges or also the use of knobs.
- The knob has a special fastener that allows a quick fastening and unfastening of the level spacers
- The leveling spacers for tiles up to 13 mm high available in the following widths:
  - 1 mm / 1,5 mm / 2 mm / 3 mm
  - also available in T- and cross-version
- The leveling spacers for 13 to 22 mm high floor/patio tiles available in the following widths:
  - 2 mm / 3 mm / 4 mm / 5 mm



## FEATURES - CLASSIC

- The leveling spacers for tiles up to 13 mm high available in the following widths:
  - 1 mm / 1,5 mm / 2 mm / 3 mm
- The leveling spacers for 13 to 22 mm high floor/patio tiles available in the following widths:
  - 2 mm / 3 mm / 4 mm / 5 mm

# THE LEVELING SYSTEM

Number of units per m<sup>2</sup>

Tile length in cm	20	100								
	30	50	44							
	40	37	33	25						
	45	33	30	22	20					
	60	25	22	17	15	11				
	80	25	21	16	14	10	9			
	90	22	19	14	12	9	8	7		
	100	25	20	15	13	10	9	8	8	
	120	21	17	13	11	8	7	6	7	6
		20	30	40	45	60	80	90	100	120
	Tile width in cm									



# LEVELING SYSTEM DYNAMIC

## DYNAMIC SETS



Unit	Order No.
80 Knobs 200 Leveling Spacer 2mm	35 27 15
50 Knobs 200 Leveling Spacer 2mm 100 Wedges, thick 1 Pliers	35 27 16

## LEVELING SYSTEM KNOB




Unit box	Unit bag	Order No.
5 bags	100 pcs	35 27 14

## LEVELING SYSTEM PLIERS




Unit box	Order No.
10	35 27 12

## LEVELING SYSTEM WEDGES



Unit box	Unit bag	Order No.
<b>Leveling system wedges, small version for leveling spacer 1mm Dynamic</b>		
10 bags.	200 pcs	35 27 20
<b>Leveling system wedges, thick</b>		
8 bags	200 pcs	35 27 13

## TILE PROTECTION FOR LEVELING SYSTEM



Unit box	Unit bag	Order No.
45 bags	200 pcs	35 27 21





# LEVELING SYSTEM DYNAMIC

## LEVELING SPACER DYNAMIC

for tiles up to 13 mm high



## LEVELING SPACER DYNAMIC

for 13 to 22 mm high floor/patio tiles



Unit		Order No.
<b>1 mm leveling spacer</b>	yellow	35 27 17
10 bags per box	200 pieces in bag	
<b>1 mm leveling spacer „T“</b>	yellow	35 27 22
10 bags per box	200 pieces in bag	
<b>1 mm leveling spacer „+“</b>	yellow	35 27 25
10 bags per box	200 pieces in bag	

Unit		Order No.
<b>1,5mm leveling spacer</b>	orange	35 27 30
10 bags per box	200 pieces in bag	

Unit		Order No.
<b>2 mm leveling spacer</b>	white	35 27 11
10 bags per box	200 pieces in bag	
<b>2mm leveling spacer „T“</b>	white	35 27 23
10 bags per box	200 pieces in bag	
<b>2mm leveling spacer „+“</b>	white	35 27 26
10 bags per box	200 pieces in bag	

Unit		Order No.
<b>3mm leveling spacer</b>	pink	35 27 18
10 bags per box	200 pieces in bag	
<b>3mm leveling spacer „T“</b>	pink	35 27 24
10 bags per box	200 pieces in bag	
<b>3mm leveling spacer „+“</b>	pink	35 27 27
10 bags per box	200 pieces in bag	

VE		Best.-Nr.
<b>2mm leveling spacer high 13-22mm</b>	white	35 27 29
10 bags per box	200 pieces in bag	
<b>3mm leveling spacer high 13-22mm</b>	pink	35 27 33
10 bags per box	200 pieces in bag	
<b>4mm leveling spacer high 13-22mm</b>	brown	35 27 34
10 bags per box	200 pieces in bag	
<b>5mm leveling spacer high 13-22mm</b>	grau	35 27 35
10 bags per box	200 pieces in bag	

# LEVELING SYSTEM CLASSIC

## CLASSIC SETS



Unit	Order No.
250 Leveling Spacer 2mm, 250 Wedges, thick 1 Pliers	35 27 63

## LEVELING SYSTEM PLIERS




Unit box	Order No.
10	35 27 12

## LEVELING SYSTEM WEDGES



Unit box	Unit bag	Order No.
<b>Leveling system wedges, thick</b>		
8 bags	200 pcs	35 27 13

## TILE PROTECTION FOR LEVELING SYSTEM



Unit box	Unit bag	Order No.
45 B.	200 St.	35 27 21



MORE ON  
YOUTUBE



# LEVELING SYSTEM CLASSIC

## LEVELING SPACER CLASSIC

for tiles up to 13 mm high

Unit		Order No.
<b>1mm leveling spacer</b>	yellow	35 27 55
10 bags per box	200 pieces in bag	
<b>1,5mm leveling spacer</b>	orange	35 27 60
10 bags per box	200 pieces in bag	
<b>2mm leveling spacer</b>	white	35 27 56
10 bags per box	200 pieces in bag	
<b>3mm leveling spacer</b>	pink	35 27 57
10 bags per box	200 pieces in bag	



## LEVELING SPACER CLASSIC

for 13 to 22 mm high floor/patio tiles

Unit		Order No.
<b>2mm leveling spacer high 13-22mm</b>	blue	35 27 58
10 bags per box	200 pieces in bag	
<b>3mm leveling spacer high 13-22mm</b>	sky blue	35 27 59
10 bags per box	200 pieces in bag	
<b>4mm leveling spacer high 13-22mm</b>	brown	35 27 61
10 bags per box	200 pieces in bag	
<b>5mm leveling spacer high 13-22mm</b>	grau	35 27 62
10 bags per box	200 pieces in bag	






## TILE LAYERS WASHING SETS - WASCHBOY

MORE ON **YOUTUBE**



Discover the new generation of tile washing set, our new Waschboy! This product is perfect for tilers and offers a variety of innovative features that will make your work easier. Our improved features simplify and speed up tile cleaning and washing.

### FEATURES



Overall height reduced with the same volume of 22 l



Stability is improved by lowering the center of gravity



Wider rounded feet for a firmer footing on uneven surfaces



Recessed grip on the front supports better handling



Integrated bracket for wheels



Easier to clean due to rounded bucket walls




Deeper squeezing grid for a non-slip stand



Constructive adjustment of the side walls guarantees maximum stability



Closed bucket rim to easily mount other available washing rolls



Dual metal bearing roll holder in the edge of the bucket



Locks in the edge of the bucket ensure that the lid is securely in place when transporting liquids



This product was developed, manufactured and patented in Germany

# TILE LAYERS WASCHING SETS - WASCHBOY

Unit	Dimension cm	Order No.
1	49 x 24 x 24	50 59 00



## WASCHBOY "TILE WASCHING SET"

Washing bucket, approx. 22 litres, with dual metal bearing metal bearings in the edge of the bucket, suitable for all sponge or wash boards, incl. set of wheels with brake, grid and lid.

Unit	Order No.
<b>Set of wheels with break</b>	
1	50 58 19



## SET OF WHEELS

4er Set

Unit	Order No.
<b>Rinsing Roller with metal spindle</b>	
24	1-4046-00



## RINSING ROLLER

Unit	Dimension cm	Order No.
25	30 x 23	80 55 35 - 25



## PLASTIC GRID, BLACK

Unit	Order No.
6	80 57 00



## LID FOR 22 L BUCKET

# TILE LAYERS WASHING SETS - 10 LITER

**10 L BUCKET  
"WASCHFIX"**



Unit	Dimension cm	Colour	Order No.
1	39 x 22 x 17	black	80 55 257
1	39 x 22 x 17	red	80 55 52

**LID FOR 10 L  
BUCKET "WASCHFIX"**



Unit	Colour	Order No.
1	transparent	80 55 59

**ROLLERS FOR 10 L  
BUCKET "WASCHFIX"**



Unit	Order No.
<b>STANDARD, geschlossene Rolle</b>	
1	50 56 05
<b>OPTIMUM, offene Sprialrolle</b>	
1	50 56 06

# TILE LAYERS WASHING SETS - 10 LITER

Unit	Dimension cm	Order No.
------	--------------	-----------

1	39 x 22 x 17	50 56 50
---	--------------	----------



## WASHING SET "JUNIOR" 10 L

Bucket (approx. 10 litre), with sturdy roller, with hydro sponge float (14 x 28 cm), with grout float (14 x 28 cm), with lid.

Unit	Dimension cm	Order No.
------	--------------	-----------

1	39 x 22 x 17	50 56 70
---	--------------	----------



## WASHING SET 10 L IN BANDEROLE

Bucket, approx. 10 litre, black, with black handle, sturdy roller, Washboard (14 x 28 cm) with approx. 20 mm support. Grout float (14 x 28 cm) with ca. 9 mm support, with banderole.

Unit	Dimension cm	Order No.
------	--------------	-----------

1	39 x 22 x 17	50 56 20
---	--------------	----------



## WASHING SET "WASCHFIX" 10 L

Bucket (approx. 10 litre), with sturdy roller, with hydro sponge float (14 x 28 cm), with grout float (14 x 28 cm) with banderole.

Unit	Dimension cm	Order No.
------	--------------	-----------

1	39 x 22 x 17	50 56 30
---	--------------	----------



## WASHING SET "OPTIMUM" 10 L

Bucket (approx. 10 litre), with spiral roller, with hydro sponge float (14 x 28 cm), with grout float (14 x 28 cm) in banderole.

# TILE LAYERS WASHING SETS - FLIESENPROFI

## 22 L BUCKET



Unit	Dimension cm	Order No.
<b>red bucket, grey handle</b>		
1	49 x 24 x 24	50 55 30
<b>red bucket, black handle</b>		
1	49 x 24 x 24	50 55 36
<b>black bucket, black handle</b>		
1	49 x 24 x 24	50 55 37

## 22 L BUCKET WITH 2K-HANDLE



Unit	Dimension cm	Order No.
1	49 x 24 x 24	50 55 35

## ROLLER ATTACHMENT FOR 22 L BUCKET



Unit	Order No.
<b>Roller attachment "STANDARD" with 2 rolls</b>	
10	50 55 15
<b>Roller attachment "OPTIMUM" with 2 rolls</b>	
10	50 55 24
<b>Roller attachment "EXPRESS" with 2 rolls</b>	
10	50 55 26
<b>Roller attachment "STANDARD" with 3 rolls</b>	
10	50 54 15
<b>Roller attachment "OPTIMUM" with 3 rolls</b>	
10	50 54 24
<b>Roller attachment "EXPRESS" with 3 rolls</b>	
10	50 54 26
<b>Roller attachment "PRO STANDARD" with 2 rolls</b>	
1	50 55 85
<b>Roller attachment "PRO OPTIMUM" with 2 rolls</b>	
1	50 55 84
<b>Roller attachment "PRO EXPRESS" with 2 rolls</b>	
1	50 55 86
<b>Roller attachment "De Luxe"</b>	
1	50 55 16
<b>Roller attachment "De Luxe" Plus</b>	
1	50 55 23



# TILE LAYERS WASHING SETS - FLIESENPROFI

Unit	Order No.
<b>Set of wheels without brake</b>	
1	50 55 18
<b>Set of wheels with brake</b>	
1	50 55 19



50 55 18



50 55 19

## SET OF WHEELS

4er Set

Unit box	Unit bag	Order No.
20 bags	10 pieces	50 55 12



## WASHING SET CLEANING BAG

Quick and easy disposal of waste grout

Unit	Dimension cm	Order No.
25	30 x 23	80 55 35 - 25



## PLASTIC GRID, BLACK

Suitable for all types of „Fliesenprofi“

Unit	Colour	Order No.
6	black	80 57 00
6	red	80 57 01
6	blue	80 57 02
6	black, Regranulat	80 57 007
6	transparent	80 57 03



## LID FOR 22 L BUCKET

Robust, durable, opaque, ideal storage place for tools as well as liquid and solid substances, ideal for the transportation of liquids



# TILE LAYERS WASHING SETS - FLIESENPROFI

## WASHING SET 22 L IN BANDEROLE

Bucket, approx. 22 litre, black, with black handle, sturdy roller, Washboard (14 x 28 cm) with approx. 20 mm support. Grout float (14 x 28 cm) with approx. 9 mm support, with banderole.



Unit	Dimension cm	Order No.
------	--------------	-----------

1	49 x 24 x 24	50 55 70
---	--------------	----------

## WASHING SET "FLIESENPROFI" 22 L

Bucket (approx. 22 litre), with sink corner, resistant to usual acids and detergents. Two study mounted rollers. Quick and easy cleaning of the float. Safe flow in of the dirty water into the bucket. No new pollution of the already cleaned tiles. Complete with 4 wheels in banderole



Unit	Dimension cm	Order No.
------	--------------	-----------

1	49 x 24 x 24	50 55 42
---	--------------	----------

**without set of wheels  
and without banderole**

5	49 x 24 x 24	50 55 40
---	--------------	----------

## WASHING SET "FLIESENPROFI OPTI- MUM" 22 L

Bucket (approx. 22 litre), with sink corner, resistant to usual acids and detergents. Two sturdy mounted rollers with counterrotating spiral rollers. Quick and easy cleaning of the float. Safe flow in of the dirty water into the bucket. No new pollution of the already cleaned tiles. Complete with 4 wheels in banderole.



Unit	Dimension cm	Order No.
------	--------------	-----------

1	49 x 24 x 24	50 55 43
---	--------------	----------

# TILE LAYERS WASHING SETS - FLIESENPROFI

Unit	Dimension cm	Order No.
1	49 x 24 x 24	50 55 80



## WASHING SET "FLIESENPROFI PRO"

Bucket, approx. 22 litre, profi quality, new washing roll: Roller attachment standard pro with 2 rolls, suitable for all sponge- and washboards, with banderole

Unit	Dimension cm	Order No.
1	49 x 24 x 24	50 55 80



## WASHING SET "FLIESENPROFI PRO"

Bucket, approx. 22 litre, profi quality, new washing roll: Roller attachment standard pro with 2 rolls, suitable for all sponge- and washboards, washboard (14 x 28 cm) with approx. 20 mm support. Grout float (14 x 28 cm) with ca. 9 mm support, with banderole.

Unit	Dimension cm	Order No.
1	49 x 24 x 24	50 55 90



## WASHING SET "FLIESENPROFI PRO" WITH LID

Bucket, approx. 22 litre, profi quality, new washing roll: Roller attachment standard pro with 2 rolls, suitable for all sponge- and washboards, washboard (14 x 28 cm) with approx. 20 mm support. Grout float (14 x 28 cm) with ca. 9 mm support, with lid.

# TILE LAYERS WASHING SETS - FLIESENPROFI

## WASHING SET "DE LUXE PLUS" 22 L

Bucket (approx. 22 litre), with sink corner, resistant to usual acids and detergents. Two sturdy rollers, holding device and core are made of stainless steel, with two counterrotating spiral rollers, including groove of 5 mm depth. Quick and easy cleaning of the float. Safe flow in of the dirty water into the bucket. No new pollution of the already cleaned tiles. Complete with 4 wheels, incl. break, in banderole.






Unit	Dimension cm	Order No.
1	49 x 24 x 24	50 52 42
<b>without set of wheels and without banderole</b>		
5	49 x 24 x 24	50 52 40

## WASHING SET "DE LUXE" 22 L

Bucket (approx. 22 litre), with sink corner, resistant to usual acids and detergents. Two sturdy rollers, holding device and core are made of stainless steel. Quick and easy cleaning of the float. Safe flow in of the dirty water into the bucket. No new pollution of the already cleaned tiles. Complete with 4 wheels, incl. break, in banderole.



Unit	Dimension cm	Order No.
1	49 x 24 x 24	50 52 43
<b>without set of wheels and without banderole</b>		
5	49 x 24 x 24	50 52 41



# TILE LAYERS WASHING SETS - SPEEDY

## 23 L BUCKET "SPEEDY"

With metal holder



Unit	Order No.
12	1-0350-97

## RINSING ROLLS FOR 23 L BUCKET "SPEEDY"



Unit	Order No.
<b>with plastic holder</b>	
24	1-4043-00
<b>with metal holder</b>	
24	1-4032-00
<b>OPTIMAL with metal holder, brown</b>	
24	1-4044-00
<b>OPTIMAL with metal holder, black</b>	
24	1-4046-00

## ROLLER FOR 23 L BUCKET "SPEEDY"

Corrugated, with metal spindle



Unit	Order No.
24	1-4008-00

## TRANSPORT ROLLER FOR 23 L BUCKET "SPEEDY"




Unit	Order No.
24	1-4013-00

## WHEELS FOR 23 L BUCKET "SPEEDY"



Unit	Order No.
15	1-4006-00

## GRID FOR 23 L BUCKET "SPEEDY"



Unit	Order No.
8	1-4036-00

# TILE LAYERS WASHING SETS - SPEEDY

Unit	Order No.
12	1-4038-00
<b>incl. 2 transport roller</b>	

12	1-4031-00
----	-----------



## “SPEEDY” PROFI WASHING SET 23 L

Plastic holder, with 2 rinsing roller

Unit	Order No.
9	1-4037-00



## “SPEEDY” PROFI WASHING SET 23 L

With slotted hydro-sponge plastic float  
Basic 280 x 140 x 30 mm, 2 transport roller,  
2 rinsing roller, in banderole

Unit	Order No.
12	1-4051-00
<b>incl. Design-Line Washboard "HYDRO" slotted</b>	

12	1-4050-00
----	-----------



## “SPEEDY” PROFI WASHING SET 23 L

With metal holder, 2 rinsing roller, 2  
transport roller, in banderole.

Unit	Order No.
12	1-4053-00



## “OPTIMAL” WASHING SET 23 L

With metal holder, 3 rinsing roller “Opti-  
mal”, 2 transport roller.

# TILE LAYERS WASHING SETS - VARIO

## ACCESSORIES "FLIESEN MEISTER"

The washing tub (approx. 30 litre) is suitable for our tile layers' washing set "Fliesenmeister", as well suitable as a mortar tub, or because of it's soft edges as a tub, 20 cm high..



50 55 10



50 55 20



80 55 30



50 55 21



80 55 20

Unit	Dimension cm	Order No.
<b>Professional tile layers' tray</b>		
1	60 x 40 x 20	50 55 10
<b>Grid down in the tray</b>		
10	34 x 26 x 6	80 55 30
<b>Grid on top of the tray</b>		
1	34 x 29 x 3	80 55 20
<b>Roller attachment plastic</b>		
15		50 55 20
<b>Rolls for roller attachment</b>		
1		50 55 21

## SQUEEZING STATION FOR FLOOR WIPER "VARIO"

Washing Tub "Fliesenmeister" approx. 30 litre, incl. grid on top of the tray.



Unit	Dimension cm	Order No.
1	60 x 40 x 20	80 55 10

## PROFESSIONAL WASHING SET 30 LITRES

As well available with a grid insert



Unit	Dimension cm	Order No.
1	60 x 40 x 20	55 51 05



# TILE LAYERS WASHING SETS - VARIO

Unit	Dimension cm	Order No.
4	20 x 30 x 3	68 20 30



## FLOOR WIPER "VARIO"

With Hydro support 200 x 300 x 30 mm, with telescopic arm, approx. 70-140 cm infinitely adjustable with ball joint for wiping in all directions, optimal floor wiping without kneeling.

Unit	Dimension cm	Order No.
10	20 x 30 x 3	69 20 30



## REPLACEMENT CARRIER PLATE "VARIO"

Unit	Dimension cm	Order No.
50	20 x 30 x 3	38 20 30



## HYDRO SUPPORT "VARIO"



# SPONGES

## „HYDRO“ TILING SPONGE

Excellent absorption and pickup qualities.



SPONGE ALSO AVAILABLE  
**WITH INDIVIDUAL  
PRINT!**

Unit	Dimension cm	Order No.
<b>in film with EAN</b>		
10	16,5 x 11 x 7	39 10 23
<b>inside box</b>		
126	16 x 11 x 6,5	39 10 26



# SPONGES

Unit	Dimension cm	Order No.
25	12,5 x 6,5 x 3,0	39 10 28



## QUICK'N CLEAN DIRT REMOVER

The Quick'n Clean-Sponge removes so-  
ilings on walls, grounds, doors, garden  
furniture etc..


Unit	Dimension cm	Order No.
<b>medium</b>		
175	15 x 10 x 5	39 10 20
<b>hard</b>		
180	15 x 10 x 5	39 10 21



## SPONGE EPOXY

Epoxy sponge, for removing epoxy re-  
sidues

Unit	Dimension cm	Order No.
40	10 x 17	1-1050-00
<b>pressed</b>		
50	15,3 x 11,3 x 3,6 (unpressed)	39 10 27



1-1050-00



39 10 27

## VISCOSE SPONGE

Epoxy sponge, for removing epoxy re-  
sidues

# GRINDING TOOLS

## HAND POLISHER

Comfortable and professional work, ensures low-fatigue work, Flap and catch mechanic, with moss-rubber support.



Unit	Dimension cm	Order No.
40	23,5 x 8,5	08 61 15

## HAND POLISHER

2-components-handle, comfortable and professional work, ensures low-fatigue work, Flap and catch mechanic, with moss-rubber support.



Unit	Dimension cm	Order No.
40	23,5 x 8,5	08 62 15

## HAND POLISHER

With thumb nut and foam rubber, approx 5 mm thick



Unit	Dimension cm	Order No.
40	23,5 x 8,5	31 80 00

## SANDING MESH



Unit	grain.	Dimension cm	Order No.
10	80	28 x 9,3	31 80 80
10	100	28 x 9,3	on request
10	120	28 x 9,3	on request
10	180	28 x 9,3	on request

## PAD HOLDER WITH VELCRO



Unit	Dimension cm	Order No.
80	13,5 x 8,5	30 70 00

# GRINDING TOOLS

Unit	grain.	Dimension cm	Order No.
10	14	12 x 22	08 85 10
10	24	12 x 22	08 85 11
10	36	12 x 22	08 85 12



## EMERY BOARD "MULTISLIB" WITH ANGLE

Grinds all materials: concrete, epoxy resin, paint and coating, tiles and bricks, plaster, wood, marble, plastic, acrylic, PVC rust, paint on steel and much more.

Unit	Dimension cm	Order No.
10	14 x 28	22 11 428
10	18 x 32	23 11 832



## FLOAT REIBFIX VELCRO

Grinding floats with Velcro, for tar coated velour pads, particularly robust, therefore long service life, plate approx. 9 mm thick

Unit	Dimension cm	Order No.
10	13,5 x 27,1	08 85 52
10	17,3 x 31,2	08 85 53



## TAR SANDPAPER WITH VELCRO

16 grit tar-coated grinding surface with velour, for Float Reibfix Velour, velling out irregularities on substrates, suitable for aerated concrete, gypsum plasters, cement plasters, lime plasters, polystyrene boards, screeds

Unit	Dimension cm	Order No.
10	13 x 27	2-5009-10
10	16 x 32	2-5005-00



## FLOAT DESIGN LINE VELCRO

Grinding floats with Velcro, for tar coated velour pads, particularly robust, therefore long service life, plate approx. 6 mm thick

Unit	Dimension cm	Order No.
10	12,5 x 26,5	08 85 50
10	15,5 x 31,5	08 85 51



## TAR SANDPAPER WITH VELCRO

16 grit tar-coated grinding surface with velour, for Float Design Line Velour, velling out irregularities on substrates, suitable for aerated concrete, gypsum plasters, cement plasters, lime plasters, polystyrene boards, screeds

# OTHER TOOLS

## MASONS' HAWK



Unit	Dimension cm	Order No.
50	18 x 32	50 14 28

## ROOF TILER'S HAWK



Unit	Dimension cm	Order No.
25	25 x 25	50 18 32
25	33 x 33	50 33 33

## SCRAPER FOR FINE PLASTERING



Unit	Dimension cm	Order No.
<b>angular</b>		
50	9 x 18	60 09 18
<b>pointed</b>		
50	9 x 18	60 10 18

## SCRAPER FOR FINE PLASTERING

Angular with handle



Unit	Dimension cm	Order No.
30	27 x 13	31 02 00

## TOP CAPS

For aluminium profiles



Unit	Dimension cm	Order No.
1.600	18 x 80	30 50 01
1.300	18 x 100	30 50 03
1.500	trapeze R	30 50 04
1.500	trapeze L	30 50 05

## OTHER TOOLS

Dim. Nr.	Unit	Dim. mm	Weight g	Order No.
1	25	55 x 85	300	1-3004-00
2	15	60 x 110	430	1-3005-00
3	10	70 x 120	650	1-3006-00
4	7	85 x 135	960	1-3007-00



### MALLET, SOFT FACE "GLACE"

Soft face, with plastic safety bar

Dim. Nr.	Unit	Dim. mm	Weight g	Order No.
1	25	55 x 85	260	1-3008-00
2	15	60 x 110	375	1-3009-00



### MALLET, HARD AND SOFT FACE "GLACE"

Soft and hard face, with plastic safety bar



Unit	Width mm	Order No.
10	200	50 15 02
10	250	50 15 04
10	300	50 15 03



### SQUEEGEE

Wooden back, good for grouting

Unit	Form	Order No.
20	tall	08 60 10
20	flat	08 60 11



### PLASTER OF PARIS MIXING BOWL

Made of technical rubber, black  
**tall:** 90mm high, diameter on top appr. 130mm, bottom appr. 75mm  
**flat:** 40mm high, diameter on top appr. 150mm, bottom appr. 125mm

Unit	Order No.
36	50 90 50
<b>on hanging card</b>	
14	50 90 501



### REDUCTION PIECE

# OTHER TOOLS

## DOCTOR BLADE, STAINLESS STEEL

Seven times glued together plywood handle, approx. 12 mm, edge of stainless steel, to rub off plaster



Unit	Width mm	Order No.
10	400	08 60 64
10	500	08 60 65
10	600	08 60 66

## DOCTOR BLADE

Seven times glued together plywood handle, approx. 12 mm, edge of stainless steel, to rub off plaster



Unit	Width mm	Order No.
10	250	08 60 72
10	500	08 60 75
10	600	08 60 76

## DOCTOR BLADE, STAINLESS STEEL

Frame made of aluminium, handle made of TPE-material, edge of stainless steel, to rub off plaster



Unit	Width mm	Order No.
10	380	08 60 84
10	460	08 60 85
10	590	08 60 86

## 30 LTR MIXING BUCKET



Unit	Height mm	Order No.
10	382	50 56 90

## LID FOR 30 LTR MIXING BUCKET



Unit	Order No.
10	50 56 91



# DOOR FRAME CLAMP

## DOOR FRAME CLAMP

Available for door frames in widths of 735, 860 and 985 mm, for easy insertion of room doors

Unit	Width mm	Order No.
20	735	08 30 00
20	860	08 30 01
20	985	08 30 02



MORE ON **YOUTUBE**



# BRUSHES

## RADIATOR BRUSH IMPORT

Grey chinese bristles, for varnishing radiators, getting into corners and for straight edges, import quality.  
Packaging unit: 12 pieces



Size	Unit	Width mm	Order No.
1"	12	25	04 18 25
1,5"	12	35	04 18 35
2"	12	50	04 18 50
2,5"	12	60	04 18 60
3"	12	70	04 18 70

## CEILING BRUSH, PLASTIC BACK

Synthetic bristles, plastic back, suitable for straightforward painting jobs.  
Packaging unit: 12 pieces



Size	Unit	Length mm	Order No.
2	6	70	03 30 02

## CEILING BRUSH, WOODEN BACK

Synthetic bristles, white bristles around dark ones, wooden back, suitable for relatively straightforward painting jobs.  
Packaging unit: 12 pieces



Size	Unit	Length mm	Order No.
0	12	70	03 36 00
1	12	70	03 36 01

# PAINT ROLLERS

## DIY PAINT ROLLER SET

Complete with 6 mm frame, Vestan cover



Unit	Width cm	Order No.
<b>complete with grid</b>		
25	18	09 28 18
25	25	09 28 25
<b>without grid</b>		
25	18	09 29 18
25	25	09 29 25

## „YELLOW-THREAD“ REPLACEMENT

ø 35 mm, Perlon cover, 12 mm pile, spirally attached, suitable for roller painting radiators and to reach difficult areas



Unit	Width cm	Order No.
10	10	09 45 19

## RADIATOR ROLLER HANDLES RED

Ø 6 mm



Unit	Length cm	Order No.
20	40	09 45 92

## METAL TELESCOPIC POLE

Plastic-coated, steplessly adjustable



Unit Box	Length m	Order No.
20	1,1 – 2,0	09 53 00

# CUTTER & CUTTER BLADES

## PROFESSIONAL CUTTER „KOBRA“

with 2-components-handle, 18 mm blade width, with automatic lock, with metal guide, incl. 6 blades in magazine  
Packaging unit: 144 pieces



Unit	Width mm	Order No.
12	18	08 32 28

## CRAFTSMEN QUALITY CUTTER

Holding device made of metal




Unit	Width mm	Order No.
48	18	08 32 10

## PLASTIC CUTTER WITH COVER

10 Klingen im Köcher, Importqualität





Unit	Width mm	Order No.
20	18	08 32 21



# NOTES

---







Visit us on Youtube!



...or follow us on LinkedIn!



...or follow us on Instagram!



Technical changes of the described products reserved.

All orders rest upon our general valid terms and conditions, which you will find on [www.kronen-hansa-werk.com/agb.php](http://www.kronen-hansa-werk.com/agb.php)